
**INSTRUMENTOS PARA MEDIR LA PERCEPCIÓN DE RIESGO DE COVID-19
EN POBLACIÓN ADULTA, REVISIÓN DE ALCANCE**

**FERNANDA NICOLE RODRÍGUEZ MUÑOZ
ODONTÓLOGO**

RESUMEN

En el año 2019 en Wuhan, China se identificó un nuevo virus denominado SARS-COV-2 que origina la enfermedad del Coronavirus 19, la cual fue denominada pandemia por la OMS el año 2020. Esta presenta múltiple sintomatología o la ausencia de ella al cursar la enfermedad, la que puede generar la muerte. Hasta la fecha ha causado millones de pérdidas humanas a lo largo del mundo. Es en este contexto, que se hace necesario mirar más allá de lo biomédico y enfocarnos en la forma en que la población lo percibe. Es por esto que nuestro objetivo es identificar instrumentos para medir la percepción de riesgo de contraer COVID - 19 en la comunidad en población mayor de 18 años. Para esto se realizó una revisión sistemática exploratoria de 55 estudios, los cuales poseían cuestionarios o preguntas relacionadas con este tópico, los cuales fueron tabulados, analizados, caracterizados y resumidos en esta investigación. Nuestros hallazgos indican que los instrumentos utilizados son cuestionarios con preguntas predominantemente en las áreas de riesgo de enfermar, riesgo emocional y otros factores.

ABSTRACT

In 2019 in Wuhan, China, a new virus called SARS-COV-2 was identified. This virus causes the COVID-19, which was declared pandemic by the WHO in 2020. It presents multiple symptoms or the absence of it when you have it. It also may cause the death. Until now, it has caused millions of human losses throughout the world. It is in this context that it is necessary to look beyond the biomedical perspective and focus on the way people perceives it. It is for this reason, that our objective was to identify instruments that measure the risk perception of contracting COVID - 19 in the community in a population over 18 years old. A scoping review of 55 studies was carried out. These studies had questionnaires or questions related to this topic, which were tabulated, analyzed, characterized, and summarized in this research. Our findings indicate that the instruments used are instruments with questions predominantly in the areas of risk of illness, emotional risk, and other factors.